
















OBIEKT : Budynek mieszkalny nr 5 w Czeladzi				WYKAZ STALI 9									
ELEMENT : A2 -Strop nad garażem zbrojenie górne i wieńce				NR RYSUNKU : K9 STRONA									
WYKONAŁ:				DATA: 17 sierpnia 2023									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
wieńce													
1	A-IIIN	16	800 	10	12						120,0		
3	A-IIIN	16	800 	5,3	8						42,4		
3a	A-IIIN	16	800 	7	4						28,0		
4	A-IIIN	16	800 	7,6	16						121,6		
5	A-IIIN	16	800 	6,9	4						27,6		
6	A-IIIN	16	800 	3,3	4						13,2		
7	A-IIIN	16	800 	7,8	8						62,4		
9	A-0	6	130 	0,66	150	99,0							
10	A-0	6	130 	0,76	83	63,1							
14	A-IIIN	12	winda 500 	3,8	12					45,6			
15	A-IIIN	12	500 	3,98	4					15,9			
16	A-IIIN	12	500 	3,7	4					14,8			
20	A-IIIN	12	łączniki do ścian 140 	2,44	372					907,7			
47	A-IIIN	16	B1 2170 	2,17	4					8,7			
48	A-IIIN	8	200 	1,38	13			17,9					

mb	162	0	18	0	984	424	0	0
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	36	0	7	0	873	669	0	0
kg	36		1549					
kg	1585							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)