

















OBIEKT : <b>Budynek mieszkalny nr 2 w Czeladzi</b>				<b>WYKAZ STALI 9</b>									
ELEMENT : <b>B1 -Strop nad garażem zbrojenie górne i wieńce</b>				NR RYSUNKU : K9STRONA									
WYKONAŁ:				DATA: 8 kwietnia 2024									
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRETA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6

wieńce													
1	A-IIIN	16	800 	12	16						192,0		
2	A-IIIN	16	800 	11,3	20						226,0		
3	A-IIIN	16		12	24						288,0		
4	A-IIIN	16	800 	8	14						112,0		
5	A-IIIN	16	800 	10	26						260,0		
6	A-IIIN	16	800 	5,3	10						53,0		
7	A-IIIN	16	800 	7,8	16						124,8		
8	A-IIIN	16	800 	7,6	10						76,0		
9	A-0	6	130 	0,66	300	198,0							
12	A-IIIN	16 wejście	800 	4,8	4						19,2		
13	A-IIIN	16	800 	7,9	8						63,2		
14	A-IIIN	12	winda 500 	3,8	12					45,6			
20	A-IIIN	12	łączniki do ścian 140 	2,44	1055					2574,2			

			Bs1 szt.1										
43	A-IIIN	16		3,5	4						14,0		
45	A-IIIN	8	140 	0,88	28			24,6					
46	A-IIIN	20		0,35	4							1,4	

mb	198	0	25	0	2620	1428	1	0
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	44	0	10	0	2325	2253	3	0
kg	44		4591					
kg	4635							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)