



OBIEKT : Budynek mieszkalny E w Rudzie Śląskiej				WYKAZ STALI									
ELEMENT : Ściany garażu budynek E segment E1				NR RYSUNKU : K5-K6 STRONA 1 z 2									
WYKONAŁ:													
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [ szt ]	DŁUGOŚĆ OGÓLNA [m]							
						A-0				A-IIIIN			
						6	8	8	10	12	16	20	25
1	A-IIIIN	12		3,3	970					3201,0			
2 mb	A-IIIIN	8		0	1			0,0					
3	A-0	6		0,31	1020	316,2							
3A	A-0	6		0,26	60	15,6							
4	A-IIIIN	12		4	700					2800,0			
5	A-IIIIN	16		3,3	92						303,6		
6	A-IIIIN	16		4,2	56						235,2		
7	A-0	6		0,27	870	234,9							
8	A-0	6		0,21	110	23,1							
8A	A-0	6		0,47	30	14,1							
9	A-IIIIN	20		3,3	6							19,8	
9A	A-IIIIN	20		4,4	6							26,4	
10	A-IIIIN	8		1,21	286			346,1					
11	A-IIIIN	8		1,11	80			88,8					
12	A-IIIIN	8		1,17	390			456,3					
19	A-0	6		0,96	60	57,6							
21	A-0	6		0,72	11	7,9							
23	A-0	6		1,84	72	132,5							
24	A-0	6		1,04	15	15,6							
			<b>nadpr.Nd1 szt.2</b>										
30	A-IIIIN	16		2,6	4						10,4		
31	A-0	8		2,56	21		53,8						
			<b>nadpr.Nd2 szt.2</b>										
30	A-IIIIN	16		2,6	4						10,4		
32	A-IIIIN	8		3,57	14			50,0					
			<b>nadpr.Nw szt.1</b>										
34	A-IIIIN	12		2	2					4,0			
35	A-0	8		2,2	6		13,2						
			<b>Śłup S1 szt.4</b>										
9	A-IIIIN	20		3,3	32							105,6	

OBIEKT :  ELEMENT :				Budynek mieszkalny E w Rudzie Śląskiej  Ściany garażu budynek E segment E1									
WYKONAŁ:				WYKAZ STALI									
				NR RYSUNKU :  K5-K6						STRONA  2 z 2			
Nr	Stal	ϕ	KSZTAŁT  [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0		A-IIIN					
						6	8	8	10	12	16	20	25
5	A-IIIN	16		3,3	16						52,8		
40	A-0	6		1,74	184	320,2							
			Słup S3 szt.3										
9	A-IIIN	20		3,3	12							39,6	
42	A-0	6		1,46	69	100,7							

mb	1238	67	941	0	6005	612	191	0
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	3,850
kg	275	26	371	0	5329	966	472	0
kg	301		7138					
kg	7439							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)