

OBIEKT : Budynek mieszkalny E w Rudzie Śląskiej				WYKAZ STALI 11									
ELEMENT : BELKA TE i TARCZA TE				NR RYSUNKU : K11 STRONA 1 z 1									
WYKONAŁ:				DATA: 27 Oktober 2022									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIIN RB500W					
						6	8	8	10	25	12	20	16
			BE										
16	A-IIIIN	20		10,1	4							40,4	
14	A-IIIIN	20		8	2							16,0	
17	A-IIIIN	20		11,5	2							23,0	
20	A-IIIIN	12		3,5	2						7,0		
			łączniki do scian										
9	A-IIIIN	16		3,15	12								37,8
10	A-IIIIN	10		3,17	53				168,0				
11	A-IIIIN	8		2,06	39			80,3					
12	A-IIIIN	8		1,8	18			32,4					
13	A-IIIIN	8		44	1			44,0					
			przyciąc na budowie										
			TE										
22	A-IIIIN	16		4	24								96,0
23*	A-IIIIN	8		3,7	216			799,2					
24*	A-IIIIN	8		7,9	76			600,4					
25d	A-IIIIN	10		5,5	12				66,0				
28	A-IIIIN	10		1,37	82				112,3				
30	A-0	6		0,27	200	54,0							

mb	54	0	1556	346	0	7	79	134
kg	0,222	0,394	0,394	0,616	3,851	0,887	2,465	1,578
kg	12	0	614	213	0	6	196	211
kg	12		1240					
kg	1252							

UWAGA **zestawienie dla parteru i 1 piętra**
WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)