

OBIEKT : Budynek mieszkalny E w Rudzie Śląskiej				WYKAZ STALI 35									
ELEMENT : Wejście do budynku segment E2				NR RYSUNKU : K35					STRONA 1 z 1				
WYKONAŁ:													
Nr	Stal	ϕ	KSZTAŁT <div>[mm]</div>	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0		A-IIIIN					
						6	8	8	10	12	16	20	6
1 mb	A-IIIIN	12	<div><div>54</div><div>mb</div></div>	54	1					54,0			
2	A-0	6	<div><div>290</div><div>50,50</div><div>320</div><div>290</div><div>320</div></div>	1,32	52	68,6							
3 mb	A-IIIIN	8	<div><div>35</div><div>mb</div></div>	35	1			35,0					
4	A-IIIIN	8	<div><div>1460</div><div>200</div></div>	1,66	14			23,2					
5	A-IIIIN	8	<div><div>800</div><div>800</div></div>	1,6	14			22,4					
6	A-IIIIN	10	<div><div>3550</div></div>	3,55	13			46,2					
7	A-IIIIN	8	<div><div>1950</div></div>	1,95	21			41,0					
8	A-IIIIN	6	<div><div>2150</div></div>	2,15	16								34,4

mb	69	0	122	46	54	0	0	34
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	15	0	48	28	48	0	0	8
kg	15		132					
	147							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)