


































OBIEKT : Budynek mieszkalny E w Rudzie Śląskiej				WYKAZ STALI 14									
ELEMENT : ŚCIANY 5 PIĘTRA budynek E E2 segment				NR RYSUNKU : K24, 25 STRONA 1 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIIN RB500W			
						6	8	8	10	12	16	20	6
1	A-IIIIN	12 naroża		3,6	150					540,0			
1a	A-IIIIN	12		2,95	980					2891,0			
2a	A-IIIIN	10		2,94	40				117,6				
22 mb	A-IIIIN	10		160	1				160,0				
			łącznik z wieńca do ścian										
7	A-IIIIN	8		1,81	120			488,7					
7a	A-IIIIN	8		1,81	3			488,7					
7b	A-IIIIN	8		1,81	30			488,7					
5	A-0	6		0,21	520	109,2							
6	A-0	6		0,27	630	170,1							
			łączniki w narożach										
8	A-IIIIN	8		0,91	196			178,4					
9	A-IIIIN	8		1,17	300			351,0					
			łączniki przy otworach										
10	A-IIIIN	8		0,61	580			353,8					
11	A-IIIIN	8		0,67	200			134,0					
			strzemiona filarów										
13	A-IIIIN	6		1,42	12								17,0
14	A-IIIIN	6		1,52	48								73,0
16	A-IIIIN	6		1,92	12								23,0
17	A-IIIIN	6		1,04	11								11,4
21	A-IIIIN	6		0,74	11								8,1

OBIEKT : Budynek mieszkalny E w Rudzie Śląskiej				WYKAZ STALI 14									
ELEMENT : ŚCIANY 5 PIĘTRA budynek E segment E2				NR RYSUNKU : K24, 25									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
			No1 szt.7										
31	A-IIIN	6	110  110	1,24	77								95,5
32	A-IIIN	12		4	14					56,0			
33	A-IIIN	8		3,5	14			49,0					
			No1A szt.7										
31	A-IIIN	6	110  110	1,24	77								95,5
32	A-IIIN	12		4	28					112,0			
33	A-IIIN	8		3,5	70			245,0					
34	A-IIIN	8		0,9	154			138,6					
			No2 szt.1										
31	A-IIIN	6	110  110	1,24	8								9,9
35	A-IIIN	10		3	4				12,0				
36	A-IIIN	8		3	10			30,0					
34	A-IIIN	8		0,9	16			14,4					
			No3 szt.4										
31	A-IIIN	6	110  110	1,24	24								29,8
37	A-IIIN	10		3	16				48,0				
38	A-IIIN	8		3	40			120,0					
34	A-IIIN	8		0,9	56			50,4					

