


















OBIEKT : Budynek mieszkalny C Rudzie Śląskiej				W WYKAZ STALI 14									
ELEMENT : ŚCIANY PARTERU				NR RYSUNKU : K14 STRONA 1 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6
1	A-IIIN	12		3,6	420					1512,0			
2	A-IIIN	10		3,5	130				455,0				
łącznik z wieńca do siatek													
3	A-IIIN	8		1,41	360			507,6					
5	A-0	6		0,21	600	126,0							
łączniki w narożach													
8	A-IIIN	8		0,91	182			165,6					
9	A-IIIN	8		1,15	24			27,6					
łączniki przy otworach													
10	A-IIIN	8		0,61	600			366,0					
11	A-IIIN	8		0,67	24			16,1					
strzemiona filarów													
13	A-IIIN	6		1,42	52								73,8
14	A-IIIN	6		1,52	39								59,3
15	A-IIIN	6		1,76	130								228,8
16	A-IIIN	6		1,92	26								49,9
20	A-IIIN	6		1,26	12								15,1
21	A-IIIN	6		0,74	12								8,9



OBIEKT : Budynek mieszkalny C Rudzie Śląskiej				w	WYKAZ STALI 14								
ELEMENT : ŚCIANY PARTERU					NR RYSUNKU : K14 STRONA 2 z 3								
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
			No1 szt.7										
31	A-IIIN	6		1,24	77								95,5
32	A-IIIN	12		4	14					56,0			
33	A-IIIN	8		3	14			42,0					
			No1A szt.8										
31	A-IIIN	6		1,24	88								109,1
32	A-IIIN	12		4	32					128,0			
33	A-IIIN	8		3	80			240,0					
34	A-IIIN	8		0,9	176			158,4					
			No2 szt.4										
31	A-IIIN	6		1,24	36								44,6
35	A-IIIN	10		3,5	16				56,0				
36	A-IIIN	8		2,5	40			100,0					
34	A-IIIN	8		0,9	64			57,6					
			No3 szt.7										
31	A-IIIN	6		1,24	42								52,1
37	A-IIIN	10		3	28				84,0				
38	A-IIIN	8		2	70			140,0					
34	A-IIIN	8		0,9	84			75,6					



OBIEKT : Budynek mieszkalny C Rudzie Śląskiej				W WYKAZ STALI 14									
ELEMENT : ŚCIANY PARTERU				NR RYSUNKU : K14 STRONA 3 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
			No6 szt.1										
32	A-IIIN	12	4000	4	4					16,0			
33	A-IIIN	8	3000	3	10			30,0					
39	A-IIIN	8	2420	2,42	20			48,4					
			winda Nd3 szt.1										
48	A-IIIN	6	110 590 50 50 110 590	1,5	8								12,0
46	A-IIIN	10	1850	1,85	2				3,7				
47	A-IIIN	8	1850	1,85	4			7,4					
			Bw1 szt.1										
52	A-IIIN	20	5200	5,2	4							20,8	
53	A-IIIN	8	4700	4,7	14			65,8					
54	A-IIIN	8	940	0,94	50			47,0					
55	A-IIIN	8	110 800 800	1,71	25			42,8					

siatki R378 (2,15x6,0m) szt.28

mb	126	0	2138	599	1712	0	21	749
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	28	0	843	369	1519	0	51	166
kg	28		2949					
kg	2977							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)