



























OBJEKT :				Budynek mieszkalny D w Rudzie Śląskiej		WYKAZ STALI									
ELEMENT :				Strop nad 1 2 3 4 piętrzem budynek D segment D2 wieńce zbrojenie górne		NR RYSUNKU :				K22		STRONA		1 z 2	
WYKONAŁ:															
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]									
						A-0		A-IIIN							
						6	8	8	10	12	16	20	6		
1	A-IIIN	12	500 	12	4					48,0					
2	A-IIIN	12		12	4					48,0					
3	A-IIIN	12	500 	5,2	4					20,8					
5	A-IIIN	12	500 	7,9	4					31,6					
8	A-IIIN	16	500 	12	20						240,0				
9	A-0	6	170 	0,64	165	105,6									
10	A-0	6	170 	0,74	390	288,6									
11	A-IIIN	16	500 	7,9	20						158,0				
13	A-IIIN	12	500 	8,5	4					34,0					
14 mb	A-IIIN	12		25	1					25,0					
20	A-IIIN	12	500 	11,1	4					44,4					
21	A-IIIN	16	500 	7,85	4						31,4				
22	A-IIIN	16	500 	7,55	8						60,4				
23	A-IIIN	16	500 	6,8	4						27,2				
24	A-IIIN	16	500 	5,85	4						23,4				
30	A-IIIN	16		4,8	120						576,0				
31	A-IIIN	12		4,1	230					943,0					
35	A-IIIN	12		7	80					560,0					
37	A-IIIN	10		3,2	50				160,0						
39 mb	A-IIIN	6		800	1							800,0			
40	A-IIIN	8	120 	1,32	325			429,0							
41	A-IIIN	12	180 	2,18	115					250,7					
			belki dla 2, 3, 4 kondygn. B1 szt.2												
70	A-IIIN	20		3,5	6						21,0				
71	A-IIIN	10		3	8				24,0						
72	A-IIIN	10	170 	1,14	32				36,5						



OBIEKT : Budynek mieszkalny D w Rudzie Śląskiej				WYKAZ STALI									
ELEMENT : Strop nad 1 2 3 4 piętrzem budynek D segment D2 wieńce zbrojenie górne				NR RYSUNKU : K22 STRONA 2 z 2									
WYKONAŁ:													
Nr	Stal	φ	KSZTAŁT ( mm )	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0				A-IIIN			
						6	8	8	10	12	16	20	6
			B2 szt.4										
73	A-IIIN	20	3200	3,2	8							25,6	
74	A-IIIN	10	3000	3	24				72,0				
75	A-IIIN	10	170 600 50,50 170 600	1,64	36				59,0				

UWAGA  
wykaz dotyczy tylko 1 stropu

mb kg kg kg <b>kg</b>	394	0	0,394	192	179	540	47	
	0,222	0,394		0,616	0,887	1,578	2,465	
	87	0		119	160	853	116	
	87							
1335								

UWAGA  
WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)