
























OBIEKT : Budynek mieszkalny A Rudzie Śląskiej				w WYKAZ STALI 24									
ELEMENT : Strop nad 2 kondygn. wieńce				NR RYSUNKU : K24 STRONA 1 z 3									
WYKONAŁ:				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
wieńce													
1	A-IIIN	12	600 	10	16					160,0			
2	A-IIIN	12		10	8					80,0			
3	A-IIIN	12	500 	12	4					48,0			
4	A-IIIN	12		4,2	8					33,6			
5	A-IIIN	12	600 	4,2	4					16,8			
6	A-IIIN	12	600 	11,3	12					135,6			
7	A-IIIN	12	600 	8,9	8					71,2			
8	A-IIIN	12	600  600	11,2	8					89,6			
9	A-0	6	100  100	0,64	410	262,4							
10	A-IIIN	12	600 	8,2	4					32,8			
11	A-IIIN	16	800 	12	8					96,0			
12	A-IIIN	16	800 	8,8	8					70,4			
13	A-IIIN	16	800  800	9,9	12					118,8			
14	A-IIIN	16	800  800	7,7	4					30,8			
15	A-IIIN	16	800  800	6,6	4					26,4			
16	A-IIIN	16	800  800	11,2	8					89,6			
17	A-IIIN	16	800  800	7,9	4					31,6			
19	A-IIIN	12	800  800	3,35	4					13,4			
20	A-0	6	150  150	0,74	680	503,2							
21	A-IIIN	12 winda	500 	2,35	8					18,8			
23	A-IIIN	12	500  500	3,7	8					29,6			


















OBIEKT : Budynek mieszkalny A Rudzie Śląskiej				w WYKAZ STALI 24									
ELEMENT : Strop nad 2 kondygn. wieńce				NR RYSUNKU : K24 STRONA 2 z 3									
WYKONAŁ:				DATA: 18 Oktober 2022									
				DŁUGOSC OGÓLNA [m]									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	IŁOSC [szt]	A-0 St0S A-IIIN RB500W							
						6	8	8	10	12	16	20	6

--	--	--	--	--	--	--	--	--	--	--	--	--	--

			belki dla 2, 3, 4 kondygn. B1 szt.2										
40	A-IIIN	16	<div><div>3500</div></div>	3,5	6						21,0		
41	A-IIIN	10	<div><div>3000</div></div>	3	8				24,0				
42	A-IIIN	10	<div><div>35050,50</div><div>170170</div><div>350</div></div>	1,14	32				36,5				
			B2 szt.3										
43	A-IIIN	16	<div><div>3200</div></div>	3,2	6						19,2		
41	A-IIIN	10	<div><div>3000</div></div>	3	18				54,0				
44	A-IIIN	10	<div><div>60050,50</div><div>170170</div><div>600</div></div>	1,64	27				44,3				



OBIEKT : Budynek mieszkalny A Rudzie Śląskiej				w	WYKAZ STALI 24									
ELEMENT : Strop nad 2 kondygn. wieńce					NR RYSUNKU : K24					STRONA 3 z 3				
WYKONAŁ:				DATA: 18 Oktober 2022										
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]								
						A-0 St0S		A-IIIN RB500W						
						6	8	8	10	12	16	20	6	
			B3 szt.2											
40	A-IIIN	16		3,5	4						14,0			
41	A-IIIN	10		3	16				48,0					
44	A-IIIN	10		1,64	22				36,1					
			Bs1 szt.1											
45	A-IIIN	20		2,25	2							4,5		
46	A-IIIN	12		3	2					6,0				
46a	A-IIIN	10		2,05	2				4,1					
47	A-IIIN	8		1,12	15			16,8						
			Bs2 szt.1											
48	A-IIIN	16		3,1	3						9,3			
49	A-IIIN	12		4,2	2					8,4				
50	A-IIIN	8		0,94	24			22,6						
			Bsp szt.1											
51	A-IIIN	12		1,28	3					3,8				
52	A-IIIN	12		2	2					4,0				
53	A-IIIN	10		1,28	2				2,6					
54	A-IIIN	8		0,84	10			8,4						
55	A-IIIN	20		0,28	4							1,1		

dla 1-nego stropu

mb	766	0	47,8	250	752	528	6	000
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	170	0	19,0	154	668	834,0	14	000
kg	170		1689					
kg	1859							

UWAGA

x 1 STROP (nad 2 kondygn.)

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)