



OBIEKT : <div>Budynek mieszkalny A w Rudzie Śląskiej</div>				WYKAZ STALI 22									
ELEMENT : <div>ŚCIANY 2, 3, i 4 KONDYGNACJI</div>				NR RYSUNKU : K22									
				STRONA 1 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
wykaz dla 1-nej kondygn.													
1	A-IIIN	12	<div><div>3600</div></div>	3,6	1450					5220,0			
2	A-IIIN	10	<div><div>3500</div></div>	3,5	92				322,0				
łącznik z wieńca do siatek													
3	A-IIIN	8	<div><div>110</div><div><div>650</div></div></div>	1,41	360			507,6					
4	A-IIIN	8	<div><div>170</div><div><div>650</div></div></div>	1,47	800			1176,0					
5	A-0	6											
6	A-0	6											
łączniki w narożach													
8	A-IIIN	8	<div><div>110</div><div><div>400</div></div></div>	0,91	150			136,5					
9	A-IIIN	8	<div><div>150</div><div><div>500</div></div></div>	1,15	400			460					
łączniki przy otworach													
10	A-IIIN	8	<div><div>110</div><div><div>250</div></div></div>	0,61	610			372,1					
11	A-IIIN	8	<div><div>170</div><div><div>250</div></div></div>	0,67	270			180,9					
strzemiona filarów													
13	A-IIIN	6	<div><div>110</div><div><div>550</div><div>50,50</div></div></div>	1,42	39								55,4
14	A-IIIN	6	<div><div>110</div><div><div>600</div><div>50,50</div></div></div>	1,52	52								79,0
15	A-IIIN	6	<div><div>110</div><div><div>520</div><div>50,50</div></div></div>	1,36	13								17,7
16	A-IIIN	6	<div><div>110</div><div><div>800</div><div>50,50</div></div></div>	1,92	39								74,9
17	A-IIIN	6	<div><div>170</div><div><div>300</div><div>50,50</div></div></div>	1,04	12								12,5
18	A-IIIN	6	<div><div>170</div><div><div>270</div><div>50,50</div></div></div>	0,98	24								23,5
19	A-IIIN	6	<div><div>170</div><div><div>760</div><div>50,50</div></div></div>	1,96	12								23,5
19a	A-IIIN	6	<div><div>170</div><div><div>800</div><div>50,50</div></div></div>	2,04	12								24,5
20	A-IIIN	6	<div><div>110</div><div><div>470</div><div>50,50</div></div></div>	1,26	12								15,1
21	A-IIIN	6	<div><div>110</div><div><div>210</div><div>50,50</div></div></div>	0,74	12								8,9

[illegible]



OBIEKT : Budynek mieszkalny A w Rudzie Śląskiej				WYKAZ STALI 22									
ELEMENT : ŚCIANY 2, 3, i 4 KONDYGNACJI				NR RYSUNKU : K22 STRONA 3 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
			No6 szt.1										
32	A-IIIN	10	3600	3,6	4				14,4				
33	A-IIIN	8	3000	3	10			30,0					
39	A-IIIN	8											
			Nd1 szt.9 Nd2 szt.1										
41	A-IIIN	6	170 710 50 50 170 710	1,86	60								111,6
42	A-IIIN	10	2600	2,6	20				52,0				
43	A-IIIN	8	2000	2	40			80,0					
			Ni szt.1										
41	A-IIIN	6	170 710 50 50 170 710	1,86	10								18,6
44	A-IIIN	10	3200	3,2	3				9,6				
43	A-IIIN	8	2800	2,8	4			11,2					
			Nd3 szt.1										
48	A-IIIN	6	110 590 50 50 110 590	1,5	8								12,0
46	A-IIIN	10											
47	A-IIIN	8											
			B4 szt.1										
62	A-IIIN	16	6300	6,3	3						18,9		
63	A-IIIN	16	9800	9,8	1						9,8		
64	A-IIIN	16	3600	3,6	4						14,4		
65	A-IIIN	8	110 460 50 50 110 460	1,24	30			37,2					

siatki R378 (2,15x6,0m) szt.86

mb	000	0	3778	720	5220	43	0	813
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	00	0	1489	444	4632	68	0	181
kg	00		6814					
kg	6814							

UWAGA x 1 kondygnacje
WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)