

ZESTAWIENIE STALI ZBROJENIOWEJ - RYS BK15-BK16 2/3

POZ.	NR	Ø	DŁUGOŚĆ [m]	PRĘTÓW	x POZ.	RAZEM	Ø6	Ø10	Ø16
Poz. SC1.9 - 1 SZT.									
SC1.9	16	10	4,150	32	1	32			132.80
	27	10	1,270	24	1	24			30.48
	35	10	2,000	32	1	32			64.00
	52	10	3,050	2	1	2			6.10
	53	10	2,060	24	1	24			49.44
	54	10	1,470	2	1	2			2.94
	55	6	1,140	28	1	28	31.92		
Poz. SC1.10 - 1 SZT.									
SC1.10	16	10	4,150	14	1	14			58.10
	27	10	1,270	24	1	24			30.48
	35	10	2,000	14	1	14			28.00
	54	10	1,470	2	1	2			2.94
	55	6	1,140	28	1	28	31.92		
	56	10	1,590	2	1	2			3.18
	57	10	1,330	24	1	24			31.92
SC1.11	42	6	1,260	28	1	28	35.28		
	35	10	2,000	46	1	46			92.00
	29	6	0,760	28	1	28	21.28		
	16	10	4,150	46	1	46			190.90
	58	10	1,400	4	1	4			5.60
	59	10	1,970	24	1	24			47.28
	60	10	1,100	4	1	4			4.40
SC1.12	85	6	0,315	61	1	61	19.22		
	16	10	4,150	8	1	8			33.20
	19	6	0,840	28	1	28	23.52		
	35	10	2,000	8	1	8			16.00
	62	6	1,030	28	1	28	28.84		
	85	6	0,315	11	1	11	3.46		
	Poz. SC1.13 - 1 SZT.								
SC1.13	16	10	4,150	20	1	20			83.00
	35	10	2,000	28	1	28			56.00
	63	10	2,070	2	1	2			4.14
	64	10	1,560	48	1	48			74.88
	65	10	1,570	2	1	2			3.14
	66	10	1,310	24	1	24			31.44
	82	10	2,710	6	1	6			16.26
	83	16	2,900	12	1	12			34.80
	85	6	0,315	26	1	26	8.19		
	Poz. SC1.14 - 1 SZT.								
SC1.14	7	10	1,290	33	1	33			42.57
	41	10	4,500	22	1	22			99.00
	67	10	2,130	32	1	32			68.16
	85	6	0,315	29	1	29	9.13		
Poz. SC1.15 - 1 SZT.									
SC1.15	7	10	1,290	34	1	34			43.86
	11	10	3,210	6	1	6			19.26
	19	6	0,840	33	1	33	27.72		
	41	10	4,500	24	1	24			108.00
	68	10	1,920	28	1	28			53.76
	85	6	0,315	32	1	32	10.08		
	Poz. SC1.16 - 1 SZT.								
SC1.16	7	10	1,290	33	1	33			42.57
	41	10	4,500	22	1	22			99.00
	67	10	2,130	32	1	32			68.16
	85	6	0,315	29	1	29	9.13		
Poz. SC1.17 - 1 SZT.									
SC1.17	7	10	1,290	3	1	3			3.87
	16	10	4,150	12	1	12			49.80
	35	10	2,000	16	1	16			32.00
	62	6	1,030	23	1	23	23.69		
	65	10	1,570	3	1	3			4.71
	66	10	1,310	24	1	24			31.44
	85	6	0,315	20	1	20	6.30		

ZESTAWIENIE STALI ZBROJENIOWEJ - RYS BK15-BK16 3/3

POZ.	NR	PRETA	Ø	DŁUGOŚĆ	PRĘTÓW	POZ.	RAZEM	Ø6	Ø10	Ø16
Poz. SC1.18 - 1 SZT.										
SC1.18	1		10	2.900	12	1	12			34.80
	7		10	1.290	28	1	28			36.12
	16		10	4.150	8	1	8			33.20
	35		10	2.000	18	1	18			36.00
	69		10	1.310	6	1	6			7.86
	70		10	1.630	28	1	28			45.64
	85		6	0.315	20	1	20			6.30
Poz. SC1.19 - 1 SZT.										
SC1.19	16		10	4.150	50	1	50			207.50
	27		10	1.270	28	1	28			35.56
	35		10	2.000	32	1	32			64.00
	55		6	1.140	28	1	28		31.92	36.68
	66		10	1.310	28	1	28			36.68
	71		10	1.700	4	1	4			6.80
	72		10	2.270	24	1	24			54.48
	73		6	0.960	28	1	28			26.88
	74		6	1.340	28	1	28			37.52
	84		16	1.400	14	1	14			19.60
Poz. SC1.20 - 1 SZT.										
SC1.20	16		10	4.150	10	1	10			41.50
	29		6	0.760	28	1	28		21.28	
	35		10	2.000	10	1	10			20.00
	74		6	1.340	28	1	28			37.52
	85		6	0.315	12	1	12			3.78
	Poz. SC1.21 - 1 SZT.									
SC1.21	16		10	4.150	18	1	18			74.70
	35		10	2.000	18	1	18			36.00
	75		10	1.370	2	1	2			2.74
	76		10	1.220	24	1	24			29.28
	77		10	1.970	2	1	2			3.94
	78		10	1.510	24	1	24			36.24
	85		6	0.315	24	1	24		7.56	
Poz. SC1.22 - 1 SZT.										
SC1.22	1		10	3.685	26	1	26			95.81
	1		10	2.900	68	1	68			197.20
	2		10	2.110	68	1	68			143.48
	7		10	1.290	28	1	28			36.12
	34		10	6.680	38	1	38			253.84
	85		6	0.315	80	1	80		25.20	
Poz. SC1.23 - 1 SZT.										
SC1.23	1		10	2.900	84	1	84			243.60
	2		10	2.110	84	1	84			177.24
	7		10	1.290	28	1	28			36.12
	51		10	8.330	38	1	38			316.54
	85		6	0.315	93	1	93		29.30	
	86		10	3.685	84	1	84			309.54
Poz. SC1.24 - 1 SZT.										
SC1.24	1		10	2.900	48	1	48			139.20
	7		10	2.110	42	1	42			88.62
	10		10	1.290	28	1	28			36.12
	79		10	4.010	28	1	28			112.28
	85		6	0.315	48	1	48		15.12	
Poz. SC1.25 - 1 SZT.										
SC1.25	1		10	2.900	48	1	48			139.20
	2		10	2.110	24	1	24			50.64
	7		10	1.290	28	1	28			36.12
	80		10	2.270	28	1	28			63.56
	85		6	0.315	28	1	28		8.82	
Poz. DOZBROJENIE OTWORÓW [m]										
SC1	87	10	2239.000	1	1	1			2239.00	
DŁUGOŚĆ RAZEM [m]										
982.19										
MASA JEDNOSTKOWA [kg/m]										
0.222										
MASA [kg]										
218.05										
8482										