



OBIEKT : Budynek mieszkalny D Rudzie Śląskiej				w WYKAZ STALI 20									
ELEMENT : ŚCIANY 3 KONDYGNACJI				NR RYSUNKU : K20 STRONA 1 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6
1	A-IIIN	12	3600	3,6	1600					5760,0			
2	A-IIIN	10	3500	3,5	100				350,0				
łącznik z wieńca do siatek													
3	A-IIIN	8	110 650	1,41	650			916,5					
4	A-IIIN	8	170 650	1,47	220			323,4					
5	A-0	6											
6	A-0	6											
łączniki w narożach													
8	A-IIIN	8	110 400	0,91	210			191,1					
9	A-IIIN	8	150 500	1,15	500			575					
łączniki przy otworach													
10	A-IIIN	8	110 250	0,61	823			502,0					
11	A-IIIN	8	170 250	0,67	420			281,4					
strzemiona filarów													
13	A-IIIN	6	110 550 50,50 110	1,42	48								68,2
14	A-IIIN	6	110 600 50,50 110	1,52	72								109,4
15	A-IIIN	6	110 690 50,50 110	1,7	20								34,0
16	A-IIIN	6	110 800 50,50 110	1,92	40								76,8
17	A-IIIN	6	170 800 300 50,50 170	1,04	13								13,5
19	A-IIIN	6	170 680 50,50 170	1,8	13								23,4
20	A-IIIN	6	110 470 50,50 110	1,26	13								16,4
21	A-IIIN	6	110 210 50,50 110	0,74	13								9,6

[illegible]



OBIKT : Budynek mieszkalny D Rudzie Śląskiej				w WYKAZ STALI 20									
ELEMENT : ŚCIANY 3,KONDYGNACJI				NR RYSUNKU : K20 STRONA 3 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6
			No6 szt.1										
32	A-IIIN	10	3600	3,6	4				14,4				
33	A-IIIN	8	3600	3,6	10			36,0					
39	A-IIIN	8											
			Nd1 szt.11 Nd2 szt.2										
41	A-IIIN	6	170 710 50 50 710	1,86	78								145,1
42	A-IIIN	10	2600	2,6	26				67,6				
43	A-IIIN	8											
			Nd3 szt.1										
48	A-IIIN	6	110 590 50 50 590	1,5	8								12,0
46	A-IIIN	10											
47	A-IIIN	8											
			Np3 szt.1										
49	A-IIIN	6	170 900 900	1,97	11								21,7
52	A-IIIN	10											
53	A-IIIN	8											

siatki R378 (2,15x6,0m) szt.124

mb kg kg kg	000	0	3947	844	5760	0	0	998
	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
	000	0	1556	520	5111	0	0	222
	0							
kg	7409							

UWAGA

x1 kondygnacje

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)