























OBIEKT :				Budynek mieszkalny B w Rudzie Śląskiej		WYKAZ STALI 24									
ELEMENT :				ŚCIANY 5 KONDYGNACJI		NR RYSUNKU : K24				STRONA 1 z 3					
WYKONAŁ:						DATA:									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]									
						A-0 St0S		A-IIIN RB500W							
						6	8	8	10	12	16	20	6		
1	A-IIIN	12		3,6	40					144,0					
1a	A-IIIN	12		2,94	1180					3469,2					
2a	A-IIIN	10		2,94	130				382,2						
			łącznik z wieńca do siatek												
7	A-IIIN	8	 1100	1,81	300			543,0							
7b	A-IIIN	8	 1100	2,31	42			97,0							
5	A-0	6													
6	A-0	6													
			łączniki w narożach												
8	A-IIIN	8	 400	0,91	150			136,5							
9	A-IIIN	8	 500	1,17	325			380,3							
			łączniki przy otworach												
10	A-IIIN	8	 250	0,61	635			387,4							
11	A-IIIN	8	 250	0,67	153			102,5							
			strzemiona filarów												
13	A-IIIN	6	 550	1,42	39								55,4		
14	A-IIIN	6	 600	1,52	26								39,5		
15	A-IIIN	6	 720	1,76	130								228,8		
16	A-IIIN	6	 800	1,92	26								49,9		
17	A-IIIN	6	 300	1,04	24								25,0		
18	A-IIIN	6	 270	0,98	24								23,5		
19	A-IIIN	6	 760	1,96	12								23,5		
19a	A-IIIN	6	 800	2,04	12								24,5		
20	A-IIIN	6	 470	1,26	12								15,1		
21	A-IIIN	6	 210	0,74	12								8,9		

[illegible]



OBIEKT : Budynek mieszkalny B w Rudzie Śląskiej				WYKAZ STALI 24									
ELEMENT : ŚCIANY 5 KONDYGNACJI				NR RYSUNKU : K24 STRONA 3 z 3									
WYKONAŁ:				DATA:									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
			No6 szt.1										
32	A-IIIN	10	_____3600_____	3,6	4				14,4				
33	A-IIIN	8	_____3000_____	3	10			30,0					
39	A-IIIN	8											
			Nd1 szt.7 Nd2 szt.1										
41	A-IIIN	6	170  170	1,86	54								100,4
42	A-IIIN	10	_____2600_____	2,6	18				46,8				
43	A-IIIN	8	_____2000_____	2	36			72,0					
			Nd3 szt.1										
48	A-IIIN	6	110  110	1,5	8								12,0
46	A-IIIN	10	_____1850_____	1,85	2				3,7				
47	A-IIIN	8											

siatki R378 (2,15x6,0m) szt.98

mb	000	0	2302	750	3613	0	0	933
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	00	0	907	462	3206	0	0	207
kg	00		4782					
kg	4782							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)