
























OBIEKT : Budynek mieszkalny B Rudzie Śląskiej				w	WYKAZ STALI 22										
ELEMENT : Strop nad 3 kondygn. wieńce				NR RYSUNKU : K22										STRONA 1 z 3	
WYKONAŁ:				DATA: 18 Oktober 2022											
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]									
						A-0 St0S		A-IIIN RB500W							
						6	8	8	10	12	16	20	6		
wieńce															
1	A-IIIN	12	600 	10	20					200,0					
2	A-IIIN	12		12	4					48,0					
3	A-IIIN	12	500 	11,9	4					47,6					
4	A-IIIN	12	600 	5,4	4					21,6					
4a	A-IIIN	12	600 	10,9	4					43,6					
5	A-IIIN	12	600 	8,6	4					34,4					
6	A-IIIN	12	600 	12	12					144,0					
7	A-IIIN	12	600 	7,8	8					62,4					
9	A-0	6	100 	0,64	430	275,2									
11	A-IIIN	16	800 	12	8					96,0					
12	A-IIIN	16	800 	8,4	8					67,2					
13	A-IIIN	16	800 	9,75	8					78,0					
14	A-IIIN	16	800 	8,05	8					64,4					
15	A-IIIN	16	800 	6,6	4					26,4					
16	A-IIIN	16	450 	12,1	8					96,8					
17	A-IIIN	16	800 	6,8	4					27,2					
18	A-IIIN	16	800 	11,4	4					45,6					
20	A-0	6	150 	0,74	610	451,4									
21	A-IIIN	12 winda	500 	2,35	8					18,8					
23	A-IIIN	12	500 	3,75	8					30,0					



OBIEKT : Budynek mieszkalny B Rudzie Śląskiej				w	WYKAZ STALI 22										
ELEMENT : Strop nad 3 kondygn. wieńce				NR RYSUNKU : K22										STRONA 2 z 3	
WYKONAŁ:				DATA: 18 Oktober 2022											
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]									
						A-0 St0S		A-IIIN RB500W							
						6	8	8	10	12	16	20	6		
zbrojenie górne stropu															
30	A-IIIN	16		4,8	177						849,6				
31	A-IIIN	16		4,2	138						579,6				
32	A-IIIN	12		7,7	42					323,4					
32a	A-IIIN	12		7,2	155					1116,0					
33	A-IIIN	12		4,4	110					484,0					
34	A-IIIN	12		3,5	195					682,5					
35	A-IIIN	12 balkon		2,18	170					370,6					
36	A-IIIN	8		1,32	362			477,8							
37	A-IIIN	12		1,92	20					38,4					
38	A-IIIN	10		1,5	33				49,5						
			pręty rozd. przyciąć na budowie												
39	A-IIIN	6 mb		1500	1								1500,0		
			B1 szt.2												
40	A-IIIN	16		3,5	9						31,5				
41	A-IIIN	10		3	12				36,0						
42	A-IIIN	10		1,14	48				54,7						
			B2 szt.3												
43	A-IIIN	16		3,2	6						19,2				
41	A-IIIN	10		3	18				54,0						
44	A-IIIN	10		1,64	27				44,3						



OBIEKT : Budynek mieszkalny B Rudzie Śląskiej				w WYKAZ STALI 22									
ELEMENT : Strop nad 3 kondygn. wieńce				NR RYSUNKU : K22 STRONA 3 z 3									
WYKONAŁ:				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6
			B3 szt.2										
40	A-IIIN	16	3500	3,5	4						14,0		
41	A-IIIN	10	3000	3	12				36,0				
44	A-IIIN	10	600 50,50 170 600 170	1,64	22				36,1				
			Bs1 szt.1										
45	A-IIIN	20	200 2050	2,25	2							4,5	
46	A-IIIN	12	200 2800	3	2					6,0			
46a	A-IIIN	10	2050	2,05	2				4,1				
47	A-IIIN	8	350 50,50 160 350 160	1,12	15			16,8					
			Bs2 szt.1										
48	A-IIIN	16	3100	3,1	3						9,3		
49	A-IIIN	12	4200	4,2	2					8,4			
50	A-IIIN	8	260 50,50 160 260 160	0,94	24			22,6					
			Bsp szt.1										
51	A-IIIN	12											
52	A-IIIN	12	200 1800	2	2					4,0			
53	A-IIIN	10											
54	A-IIIN	8	260 50,50 110 260 110	0,84	10			8,4					
55	A-IIIN	20											

dla 1-nego stropu

mb	727	0	48,2	268	673,1	0576	4,5	1500
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	161	0	019	165	597	909	11	333
kg	161		1862 X2 kondygnacje					

UWAGA

(nad 3,4 kondygn.)

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)