



















OBJEKT : Budynek mieszkalny w Będzinie				WYKAZ STALI 17									
ELEMENT : B -segment 1-strop nad parterem zbrojenie górne i wieńce				NR RYSUNKU : K17									
WYKONAŁ:				DATA: 28 Februar 2025									
Nr	Stal	ϕ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOŚĆ [ szt ]	DŁUGOŚĆ OGÓLNA [m]							
						A-0 St0S		A-IIIIN RB500W					
						6	8	8	10	12	16	20	6
segment 1 wieńce													
1	A-IIIIN	16	800 	10,8	28						302,4		
1a	A-IIIIN	16	800 	7,3	4						29,2		
2	A-IIIIN	16		12	12						144,0		
3	A-IIIIN	16	800 	4,8	12						57,6		
4	A-IIIIN	16	800 	11,25	4						45,0		
5	A-IIIIN	16	800 	10,9	4						43,6		
6	A-IIIIN	16	800 	5,2	8						41,6		
7	A-IIIIN	16	800 	6,1	8						48,8		
8	A-IIIIN	12	500 	3,55	12					42,6			
9	A-IIIIN	16	800 	9,5	4						38,0		
10	A-IIIIN	16	800 	8,3	12						99,6		
11	A-IIIIN	16	800 	5,2	8						41,6		
12	A-IIIIN	16	800 	10,6	12						127,2		
13	A-IIIIN	16	800 	10,05	8						80,4		
15	A-0	6 gr.20cm	140 	0,68	950	646,0							
16	A-0	6 gr.15cm	100 	0,6	40	24,0							
			winda										
17	A-IIIIN	12	500 	2,82	8					22,6			
18	A-IIIIN	12	500 	3,82	8					30,6			

OBIEKT : <b>Budynek mieszkalny w Będzinie</b>				<b>WYKAZ STALI 17</b>									
ELEMENT : <b>B -segment 1-strop nad parterem</b>				NR RYSUNKU :   K17									
				STRONA           2 z 2									
WYKONAŁ:				DATA:                   28 Februar 2025									
Nr	Stal	φ	KSZTAŁT <div>( mm )</div>	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6

<b>zbrojenie górne stropu</b>													
30	A-IIIN	12	<div><div>3600</div></div>	3,6	90					324,0			
31	A-IIIN	12	<div><div>3000</div></div>	3	182					546,0			
32	A-IIIN	12	<div><div>6700</div></div>	6,7	135					904,5			
33	A-IIIN	12	<div><div>4300</div><div>120</div><div>250</div></div>	4,67	4					18,7			
34	A-IIIN	12	<div><div>5000</div></div>	5	136					680,0			
35	A-IIIN	12	<div><div>4200</div></div>	4,2	165					693,0			
37	A-IIIN	12 balkon	<div><div>2000</div><div>120</div><div>250</div></div>	2,37	157					372,1			
38	A-IIIN	10	<div><div>1200</div><div>120</div><div>250</div></div>	1,57	375				588,8				
pręty rozd. przycięć na budowie													
39	A-IIIN	6 mb	<div><div>800000</div></div>	800	1								800,0
40	A-IIIN	12 ostrza	<div><div>2000</div></div>	2	26					52,0			
			<b>Bs szt.2</b>										
41	A-IIIN	12	<div><div>1700</div></div>	1,7	8					13,6			
42	A-IIIN	12	<div><div>1700</div><div>150</div><div>150</div></div>	2	4					8,0			
43	A-IIIN	8	<div><div>280</div><div>160</div><div>50,50</div><div>160</div><div>280</div></div>	0,98	20			19,6					

mb	670	0	20	589	3708	1099	0	800
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	149	0	8	363	3290	1734	0	178
kg	149		5572					
kg	5720							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)