








OBIEKT : Budynek mieszkalny B Rudzie Śląskiej				w WYKAZ STALI 26									
ELEMENT : Strop nad 5 kondygn. zbrojenie górne i wieńce				NR RYSUNKU : K26 STRONA 1 z 3									
WYKONAŁ:				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
wieńce													
1	A-IIIN	12		10	20								
2	A-IIIN	12											
3	A-IIIN	12		11,9	4								
4	A-IIIN	12		5,4	4								
4a	A-IIIN	12		10,9	4								
5	A-IIIN	12		8,6	4								
6	A-IIIN	12		12	12								
7	A-IIIN	12		7,8	8								
9	A-0	6		0,64	430	275,2							
11	A-IIIN	16		12	8								
12	A-IIIN	16		8,4	8								
13	A-IIIN	16		9,75	8								
14	A-IIIN	16		8,05	8								
15	A-IIIN	16		6,6	4								
16	A-IIIN	16		12,1	8								
17	A-IIIN	16		6,8	4								
18	A-IIIN	16		11,4	4								
20	A-0	6		0,74	610	451,4							
21	A-IIIN	12 winda		2,35	8								
22	A-IIIN	12		4,9	4								
23	A-IIIN	12		3,75	4								



OBIEKT : Budynek mieszkalny B Rudzie Śląskiej				w	WYKAZ STALI 26										
ELEMENT : Strop nad 5 kondygn. zbrojenie górne i wieńce					NR RYSUNKU : K26										
WYKONAŁ:				DATA: 18 Oktober 2022											
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]									
						A-0 St0S		A-IIIN RB500W							
						6	8	8	10	12	16	20	6		
zbrojenie górne stropu															
30	A-IIIN	16		4,8	177										
31	A-IIIN	16		4,2	138										
32	A-IIIN	12		7,7	42										
32a	A-IIIN	12		7,2	155										
33	A-IIIN	12		4,4	110										
34	A-IIIN	12		3,5	205										
35	A-IIIN	12 balkon		2,18	170										
36	A-IIIN	8		1,32	360										
37	A-IIIN	12		1,92	20										
38	A-IIIN	10		1,5	14										
38a	A-IIIN	10		1,52	11										
			pręty rozd. przycięć na budowie												
39	A-IIIN	6 mb		1500	1										
			B1 szt.2												
40	A-IIIN	16		3,5	9										
41	A-IIIN	10		3	12										
42	A-IIIN	10	170  170	1,14	48				54,7						
			B2 szt.3												
43	A-IIIN	16		3,2	6										
41	A-IIIN	10		3	18										
44	A-IIIN	10	170  170	1,64	27				44,3						



OBIEKT : Budynek mieszkalny B Rudzie Śląskiej				w WYKAZ STALI 26									
ELEMENT : Strop nad 5 kondygn. zbrojenie górne i wieńce				NR RYSUNKU : K26 STRONA 3 z 3									
WYKONAŁ :				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT ( mm )	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6
			B3 szt.2										
40	A-IIIN	16		3,5	4								
41	A-IIIN	10		3	12								
44	A-IIIN	10		1,64	22				36,1				
			strop nad szybem windowym										
51	A-IIIN	12											
52	A-0	6											
53	A-IIIN	12											
54	A-IIIN	8											
55	A-IIIN	8											

mb	727	0	000	135	000	000	0	0000
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	161	0	000	83	000	000	0	000
kg	161		83					
kg	244							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)