



















[illegible]



OBIEKT : Budynek mieszkalny D Rudzie Śląskiej				w WYKAZ STALI 20											
ELEMENT : ŚCIANY 5 KONDYGNACJI				NR RYSUNKU : K20 STRONA 2 z 3											
WYKONAŁ:				DATA:											
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]									
						A-0 St0S		A-IIIN RB500W							
						6	8	8	10	12	16	20	6		
			No1 szt.12												
31	A-IIIN	6	110 	1,31	150										196,5
32	A-IIIN	10		3,6	24				86,4						
33	A-IIIN	8		3,5	24			84,0							
			No1A szt.12												
31	A-IIIN	6	110 	1,31	150										196,5
32	A-IIIN	10		3,6	48				172,8						
33	A-IIIN	8		3,5	120			420,0							
34	A-IIIN	8		0,9	300			270							
			No2 szt.5, No4 szt.1												
31	A-IIIN	6	110 	1,31	36										47,2
40	A-IIIN	6	170 	1,37	8										11,0
35	A-IIIN	10		3	24				72,0						
36	A-IIIN	8		3	60			180,0							
34	A-IIIN	8		0,9	240			216,0							
			No3 szt.6 i No5 szt.2												
31	A-IIIN	6	110 	1,31	72										94,3
40	A-IIIN	6	170 	1,37	12										16,4
37	A-IIIN	10		2,5	32				80,0						
38	A-IIIN	8		2,5	80			200,0							
34	A-IIIN	8		0,9	112			100,8							



OBIEKT : Budynek mieszkalny D Rudzie Śląskiej				w WYKAZ STALI 20									
ELEMENT : ŚCIANY 5 KONDYGNACJI				NR RYSUNKU : K20 STRONA 3 z 3									
WYKONAŁ :				DATA :									
Nr	Stal	φ	KSZTAŁT ( mm )	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIN RB500W			
						6	8	8	10	12	16	20	6
			No6a szt.1										
32	A-IIIN	10	3600	3,6	2				7,2				
33	A-IIIN	8	3600	3,6	14			50,4					
39a	A-IIIN	8	1900	1,9	20			38,0					
			Nd1 szt.11 Nd2 szt.2										
41	A-IIIN	6	170 900 900	1,97	78								153,7
42	A-IIIN	10	2600	2,6	26				67,6				
43	A-IIIN	8	2200	2,2	52			114,4					
			Nd3 szt.1										
48	A-IIIN	6	110 590 50 50 110 590	1,5	8								12,0
46	A-IIIN	10	1850	1,85	2				3,7				
47	A-IIIN	8	1850	1,85	4			7,4					
			Np3 szt.1										
49	A-IIIN	6	170 610 50 50 170 610	1,66	11								18,3
52	A-IIIN	10	2600	2,6	3				7,8				
53	A-IIIN	8	2000	2	4			8,0					

siatki R378 (2,15x6,0m) szt.135

mb	000	0	3885	792	4763	0	0	1097
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	0,222
kg	000	0	1531	488	4227	0	0	244
kg	000		6490					
kg	6490							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)