
















Obiekt: Budynek żłobka w Krzeszowicach								MKT	
Treść rys.: Zbrojenie ław fundamentowych i słupów									
17.02.2025		SPECYFIKACJA DO RYSUNKU NR:		KRZESZ_PT_K-3			1 / 2		
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ [mm]	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-IIIN		l	na 1 el.	na Σ el.		
1	2	3	5	6	7	8	9	10	11
Ława "Ł"	5		12		-	-			Σ= 224.8
	11		8	166.0	-	106	176.0	69.4	
Ława "Ł1"	5		12	10.6 mb	-	-	10.6	9.4	Σ= 14.5
	10		8	186.0	-	7	13.0	5.1	
Ława "ŁW"	8		10	1563.6 mb	-	-	1563.6	964.0	Σ= 1933.2
	7		10	101.0	-	1200	1212.0	747.2	
	9		10	60.0	-	600	360.0	222.0	
Ława "ŁZ"	8		10	1402.2 mb	-	-	1402.2	864.5	Σ= 1840.3
	6		10	116.0	-	1084	1257.4	775.3	
	9		10	60.0	-	542	325.2	200.5	
Ława "ŁZ1"	6		10	116.0	-	82	95.1	58.6	Σ= 135.8
	9		10	60.0	-	41	24.6	15.2	
	8		10	100.6 mb	-	-	100.6	62.0	
Szt. 11 Słup "S1"	1		12	383.0	4	44	168.5	149.6	Σ= 275.2
	3		12	185.0	4	44	81.4	72.3	
	13		6	95.0	23	253	240.4	53.3	
Słup "S2"	1		12	383.0	4	28	107.2	95.2	Σ= 178.7
	3		12	185.0	4	28	51.8	46.0	
	12		6	105.0	23	161	169.1	37.5	
Created with Adelante Hachiko © 2025									

