






















OBIEKT : Budynek mieszkalny A w Rudzie Śląskiej				WYKAZ STALI 28									
ELEMENT : Strop nad 5 kondygn. zbrojenie górne i wieńce				NR RYSUNKU : K28									
WYKONAŁ:				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIN RB500W					
						6	8	8	10	12	16	20	6
wieńce													
1	A-IIIN	12	600 	10	16					160,0			
2	A-IIIN	12		10	12					120,0			
3	A-IIIN	12	500 	12	4					48,0			
5	A-IIIN	12	600 	4,2	4					16,8			
6	A-IIIN	12	600 	11,3	12					135,6			
7	A-IIIN	12	600 	9,1	12					109,2			
8	A-IIIN	12	600 	11,2	8					89,6			
9	A-0	6	100 	0,64	410	262,4							
10	A-IIIN	12	600 	8,2	4					32,8			
11	A-IIIN	16	800 	12	8						96,0		
12	A-IIIN	16	800 	8,8	8						70,4		
13	A-IIIN	16	800 	9,9	12						118,8		
14	A-IIIN	16	800 	7,7	4						30,8		
15	A-IIIN	16	800 	6,6	4						26,4		
16	A-IIIN	16	800 	11,2	8						89,6		
17	A-IIIN	16	800 	7,9	4						31,6		
19	A-IIIN	12	800 	3,35	4					13,4			
20	A-0	6	150 	0,74	680	503,2							
21	A-IIIN	12 winda	500 	2,35	8					18,8			
23	A-IIIN	12	500	3,7	8					29,6			



OBIEKT : Budynek mieszkalny A w Rudzie Śląskiej				WYKAZ STALI 28									
ELEMENT : Strop nad 5 kondygn. zbrojenie górne i wieńce				NR RYSUNKU : K28									
WYKONAŁ:				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIIN RB500W			
						6	8	8	10	12	16	20	6
zbrojenie górne stropu													
30	A-IIIIN	16											
31	A-IIIIN	12											
32	A-IIIIN	12											
33	A-IIIIN	12											
34	A-IIIIN	12											
35	A-IIIIN	12 balkon											
36	A-IIIIN	8											
37	A-IIIIN	12											
38	A-IIIIN	10											
38a	A-IIIIN	10											
39	A-IIIIN	6 mb											
			B1 szt.2										
40	A-IIIIN	16		3,5	6						21,0		
41	A-IIIIN	10		3	8				24,0				
42	A-IIIIN	10		1,14	32				36,5				
			B2 szt.3										
43	A-IIIIN	16		3,2	6						19,2		
41	A-IIIIN	10		3	18				54,0				
44	A-IIIIN	10		1,64	27				44,3				



OBIEKT : Budynek mieszkalny A w Rudzie Śląskiej				WYKAZ STALI 28									
ELEMENT : Strop nad 5 kondygn. zbrojenie górne i wieńce				NR RYSUNKU : K28 STRONA 3 z 3									
WYKONAŁ :				DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 St0S				A-IIIIN RB500W			
						6	8	8	10	12	16	20	6
			B3 szt.2										
40	A-IIIIN	16		3,5	4						14,0		
41	A-IIIIN	10		3	16				48,0				
44	A-IIIIN	10		1,64	22				36,1				
			strop nad szybem windowym										
51	A-IIIIN	12		3,74	8					29,9			
52	A-0	6		0,56	38	21,3							
53	A-IIIIN	12		2,94	8					23,5			
54	A-IIIIN	8		2,48	18			44,6					
55	A-IIIIN	8		3,47	10			34,7					

mb	787	0	79,3	243	827,2	518	0	
kg	0,222	0,394	0,394	0,616	0,887	1,578	2,465	
kg	175	0	31	150	734	817	0	
kg	175		1732					
kg	1907							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)