










OBIEKT :				Budynek mieszkalny C w Rudzie Śląskiej		WYKAZ STALI 22									
ELEMENT :				Strop nad 4 kondygn. wieńce		NR RYSUNKU : K22, 23									
WYKONAŁ:						DATA: 18 Oktober 2022									
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]									
						A-0 St0S		A-IIIN RB500W							
						6	8	8	10	12	16	20	6		
wieńce															
1	A-IIIN	12		10	16										
2	A-IIIN	12		10	4										
3	A-IIIN	12		12	4										
4	A-IIIN	12		4,2	4										
4a	A-IIIN	12		7	4										
5	A-IIIN	12		7,6	4										
6	A-IIIN	12		10,8	8										
7	A-IIIN	12		9,1	16										
8	A-IIIN	12		4,3	4										
9	A-0	6		0,64	415	265,6									
11	A-IIIN	16		12	8										
12	A-IIIN	16		8,4	8										
13	A-IIIN	16		9,7	12										
14	A-IIIN	16		7,9	4										
15	A-IIIN	16		6,6	4										
16	A-IIIN	16		11,2	8										
19	A-IIIN	12		3,35	4										
20	A-0	6		0,74	527	390,0									
21	A-IIIN	12 winda		2,35	8										
22	A-IIIN	12		4,85	4										
23	A-IIIN	12		3,75	4										








OBIEKT :				Budynek mieszkalny C w Rudzie Śląskiej		WYKAZ STALI 22											
ELEMENT :				Strop nad 4 kondygn. wieńce		NR RYSUNKU : K22, 23						STRONA		2 z 3			
WYKONAŁ:						DATA:						18 Oktober 2022					
Nr	Stal	φ	KSZTAŁT	[ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]										
							A-0 St0S				A-IIIN RB500W						
							6		8		8		10		12		16

**zbrojenie górne stropu**

30	A-IIIN	16											
31	A-IIIN	12											
32	A-IIIN	12											
33	A-IIIN	12											
34	A-IIIN	12											
35	A-IIIN	12 balkon											
36	A-IIIN	8											
37	A-IIIN	12											
38	A-IIIN	10											
39	A-IIIN	6 mb											
			belki dla 2, 3, 4 kondygn. B1 szt.2										
40	A-IIIN	16											
41	A-IIIN	10											
42	A-IIIN	10	170  170	1,14	32				36,5				
			B2 szt.2										
43	A-IIIN	16	-										
41	A-IIIN	10											
44	A-IIIN	10	170  170	1,64	27				44,3				
			B3 szt.2										
40	A-IIIN	16		3,5	4								
41	A-IIIN	10		3	16								
44	A-IIIN	10	170  170	1,64	24				39,4				



OBIEKT :			Budynek mieszkalny C w Rudzie Śląskiej		WYKAZ STALI 22								
ELEMENT :			Strop nad 4 kondygn. wieńce		NR RYSUNKU : K22, 23								
WYKONAŁ:					DATA: 18 Oktober 2022								
Nr	Stal	φ	KSZTAŁT [ mm ]	DŁUG. PRĘTA [ m ]	ILOSC [ szt ]	DŁUGOSC OGOLNA [m]							
						A-0 St0S		A-IIIIN RB500W					
						6	8	8	10	12	16	20	6
			Bs1 szt.1										
45	A-IIIIN	20											
46	A-IIIIN	12	200  2600	2,8	2					5,6			
46a	A-IIIIN	10											
47	A-IIIIN	8	160  350	1,12	15			16,8					
			Bs2 szt.1										
48	A-IIIIN	16											
49	A-IIIIN	12											
50	A-IIIIN	8	160  260	0,94	24			22,6					
			Bsp szt.1										
51	A-IIIIN	12											
52	A-IIIIN	12	200  1800	2	2					4,0			
53	A-IIIIN	10											
54	A-IIIIN	8	110  260	0,84	10			8,4					
55	A-IIIIN	20											

dla 1-nego stropu

mb	656	0	48	120	10		
kg	0,222	0,394	0,394	0,616	0,887	1,578	
kg	146	0	19	74	9		
kg	000						
kg	248						

UWAGA

x 1 STROP (nad 4 kondygn.)

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH ( metoda A wg PN-EN ISO 3766:2005)