





























[illegible]

OBIEKT : Budynek mieszkalny w Sosnowcu ul. Norwida				WYKAZ STALI 12									
ELEMENT : B2 - Ściany garażu; kondygnacja - 1				NR RYSUNKU : K12-K13 <div>STRONA 2 z 3</div>									
WYKONAŁ:													
Nr	Stal	φ	KSZTAŁT (mm)	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-IIIN							
						A-0 6	A-IIIN 6	8	10	12	16	20	25
			nadpr.Ng1 szt.4										
30	A-IIIN	16		2,5	8						20,0		
31	A-IIIN	8		2,86	28			80,1					
			Belka Bg1 szt.1										
40	A-IIIN	16		3	3						9,0		
39	A-IIIN	8		2,36	10			23,6					
			Belka Bg2 szt.1										
41	A-IIIN	20		7,2	3							21,6	
37	A-IIIN	8		2,58	35			90,3					
42	A-IIIN	12		6,8	6					40,8			
37A	A-IIIN	10		2	52				104,0				
			Belka Bg6 szt.1										
60	A-IIIN	20		7,5	3							22,5	
61	A-IIIN	16		9,4	2						18,8		
62	A-IIIN	10		7,5	4				30,0				
63	A-IIIN	8		2,32	20			46,4					
			nadpr.Nw szt.1										
32	A-IIIN	12		3	2					6,0			
33	A-IIIN	8		2,54	6			15,2					

OBIEKT : Budynek mieszkalny w Sosnowcu ul. Norwida				WYKAZ STALI 12									
ELEMENT : B2 - Ściany garażu; kondygnacja - 1				NR RYSUNKU : K12-K13					STRONA 3 z 3				
WYKONAŁ:													
Nr	Stal	φ	KSZTAŁT [mm]	DŁUG. PRĘTA [m]	ILOSC [szt]	DŁUGOSC OGOLNA [m]							
						A-0 6	A-IIIIN 6	A-IIIIN 8 10 12 16 20 25					
			Słup S1 szt.7, słup S1A szt.2										
50	A-IIIIN	25		3,45	72								248,4
51 61st	A-IIIIN	6		1,38	180		248,4						
52	A-IIIIN	6		1,73	140		242,2						
52A	A-IIIIN	6		1,7	140		238,0						
			Słup S2 szt.2										
50	A-IIIIN	25		3,45	28								96,6
53	A-IIIIN	6		2,49	40		99,6						
54	A-IIIIN	6		2,08	40		83,2						
55	A-IIIIN	6		1,55	40		62,0						
			Słup S3 szt.1										
50	A-IIIIN	25		3,45	6								20,7
56	A-IIIIN	6		1,56	20		31,2						
			zbrojenie przypowierzchniowe słupów S1, S1A, S2										
80	A-IIIIN	6		1,9	56		106,4						
81	A-IIIIN	12		0,9	64					57,6			
82	A-IIIIN	6		2,67	14		37,4						
99 mb	A-IIIIN	12		400	1					400,0			

siatka AQ50 szt.2 (wymiar siatki 6,0mx2,4m)

mb	797	1148	4922	134	6027	703	44	366
kg	0,222	0,222	0,394	0,616	0,887	1,578	2,465	3,850
kg	177	255	1941	83	5348	1110	109	1408
kg	432		9998					
kg	10430							

UWAGA

WYMIAROWANIE ZBROJENIA na PODSTAWIE WYMIARÓW ZEWNĘTRZNYCH (metoda A wg PN-EN ISO 3766:2005)